

REPAIR SOLUTIONS



For textile and steel cord belt

ADE IN FRANCE

Easy, fast and definitive solution for your conveyor belt

THE QUICK-TO-INSTALL FIX'N GO® REPAIR PATCH FOR TEXTILE CONVEYOR BELTS

FIX'N GO® is an innovative and quick solution to repair rips or damages on conveyor belts.

Made with a strengthened fabric and a rubber with a very high abrasion index of 50mm³, FIX'N GO® offers a higher protection against frictions and wear than your used conveyor belt, without impacting its flexibility, resistance to elongation and tensile strength.

By repairing your belt with FIX'N GO®, you use a permanent solution with no need to replace it in the future.

The MLT specific screws are self-drilling and self-tapping: the carcass threads are spread without being cut.



ADVANTAGES

- High resistant product against rip and regular impacts.
- Easy and quick installation.
- No need for specialised tools, just a powered driver and a belt skiver are necessary.
- Compatible with small pulley diameters.
- A unique product for all your belts and all your repairs.
- Installation regardless of the access conditions, weather conditions (rain, snow, wind, cold weather...) during the day or the night.
- Safe product: no need of dangerous products like adhesives or chemical products harmful to health.
- Compatible with belt cleaners.

FIX'N GO® repair patch

- used for longitudinal rips, belt edge snags, impacts, holes,
- even allows two belts to be spliced longitudinally,
- can be used for multi-ply and monoply belts up to 1250 N/mm,
- is available in 2 versions: galvanized steel or stainless steel
- Packs available in 2 and 20 m.



SUPER-SCREW®: REPAIR AND PATCH FOR TEXTILES CONVEYOR BELTS AND STEEL CORD BELTS

For your rubber conveyor belts with steel cord or textile carcasses of high tension, SUPER-SCREW® flexible splice to screw can be also ideal as a repair patch (holes or tears in your belt). Self-drilling and self-tapping screws pinch the cables or go through them through the cable, providing new strength to the belt's carcass.

Screws allow the SUPER-SCREW® splice to be installed regardless of :

- the configuration of the conveyor,
- the conditions of access,
- weather conditions,
- temperature (from -80°C (-112°F) to 200°C (392°F) peak).








Туре	Thickness of the splice				
	Тор	Bottom			
35*	3.5 mm	3 mm			
63*	6 mm	3 mm			
85	7.5 mm	4.5 mm			
100	7.5 mm	4.5 mm			
105	9 mm	4.5 mm			
125	6.5 mm	6 mm			
127	8.5 mm	6 mm			
180	8.5 mm	6 mm			
185	8.5 mm	6 mm			
200	8.5 mm	6 mm			
205	10 mm	6 mm			
250	10.5 mm	8 mm			

- * SUPER-SCREW® EVOLUTION
- ** Very sharp screws can be ordered on request for steel cord belt



ADVANTAGES

- Installation fast and easy (optimized maintenance time)
- Whatever the weather conditions
- Without expensive equipment
- Without pre-drilling
- The screws are self-drilling and self-tapping

- Wear and cut resistant
- Compatible with conveyor scrapers

MLT GROUP

- Leak proof
- Flexible
- Various rubber qualities available



SUPER-SCREW® is also a permanent splice. Contact us.

OTHER TEMPORARY SOLUTIONS

Bolt plate fasteners

Bolt plate fasteners allow conveyor belts to be spliced quickly and easily. Perfect for repair rips and splice conveyor belts with high operating tension.

Bolt plate fastener n°	1	140	190	11/2	2	21/2
Belt thickness, mm	5-11	5-11	8-14	11-17	14-21	19-25





Characteristics:

- Carbon steel or wear resistant carbon steel fastener
- Packaging: Box of 10 or 25 fasteners (depending the type)
- Installation Method: Belt drilling template, bolt tightening tool and bolt breaker

ADVANTAGES



- Easy and fast to install
- Without expensive installation tool

6 points and multipoints fasteners

6 points and multipoints fasteners MLT allows to repair conveyor belts easily. They are ideal for belt passing.

6 points n°	1	2	3	4	5	6	7
Belt thickness, mm	4 - 6	6 - 8	8 - 10	10 - 13	13 -16	16 - 19	19 - 22
Multipoints n°	110	112	113	114	115	117	
Belt thickness, mm					11 - 14,5		7





ADVANTAGES



- Easy and fast to install
- Without expensive installation tools
- Perfect for belt passing

PACKAGING

Depending on your needs

6 points fasteners :

- Coated treated galvanised steel
- Fine and very sharp point fastener
- Available in boxes of 100 fasteners
- Installation tool : hammer

Multipoints fasteners:

- Treated galvanised steel fastener
- Available in a box with 2000 mm splice,
- Packed in boxes of 25-30 fasteners with 6 or 14 thicker, blunter points
- Installation tool: hammer





