

Glide**Bar**™

Bars / for sealing and support

WHY CHOOSE THE GLIDEBAR[™] ?

The gliding and sealing bar

The idlers are occasional supports for the belt that does not always allow the belt to be totally flat and does not assure a good sealing from the clamping skirt.

The $\mathbf{GlideBar^{TM}}$ are a continous support which guarantees a flat belt





PACKAGING According to your needs

As a Kit :

- GlideBar[™]
- Adapters
- Bolts

Advantages :

Economic

- Easy mount on existing set of idlers
- Minimum maintenance

As a Cradle :


- GlideBar™
- Adjustable Chassis

Advantages :


- Adjustable sides of +/- 5° in order to adjust at the closest from clamp
- Secured entering angles (no risks for hands)
- Highly resistant to clogging (gliding bars + idlers box)
- Manufactured to last (robustness + rustproof paint)

General information of the GlideBar™

| Quality of the bars : | PUR 20mm ³ DIN53516/10N PE-UHMW 100 |
|------------------------|--|
| Surface treatment : | Kit : Zinc-plated steel or painted Cradle : Painted steel |
| Temperature : | -15° / + 50° C |
| Scale of pH : | 4 to 10 |
| Maximum speed : | 5 m/s |
| Do not expose : | Impact and fastener on tungsten carbide |
| Corrosive atmosphere : | All or part stainless steel possible |



To go further : Gemini Skirt™ + Clamping skirt BigBen™ 3



MLT GROUP Conveyor Solutions Expert

Glide**Bar**™

MLT Conveyor Solutions Expert

More than 70 years of innovation at your service



÷



Logo distributor

www.mltgroup-conveyor.com - info@mltgroup-conveyor.com