

# TOOLS

## PRODUCT CATALOGUE

# TOOL RANGE

## FOR SPLICING CONVEYOR BELTS

Below you'll find all the tools you'll need, depending on the type of splice system you're using.

<b>COLD BONDING</b>			<b>Page</b>
<b>STORAGE</b>			<b>p.5</b>
VULCANISER'S TOOLKIT			<b>p.5</b>
STORAGE BOX			<b>p.7</b>
<b>SECURITY</b>			<b>p.8</b>
PPE			<b>p.8</b>
<b>MEASUREMENT</b>			<b>p.9</b>
TRIPLE DECAMETER			<b>p.9</b>
ODOMETER			<b>p.9</b>
PIN			<b>p.9</b>
DUROMETER			<b>p.9</b>
THERMOMETER			<b>p.10</b>
TRIPLEMETER			<b>p.10</b>
<b>BELT POSITIONING</b>			<b>p.11</b>
BELT CLAMP			<b>p.11</b>
WINCH			<b>p.12</b>
HOIST			<b>p.12</b>
CLAMP			<b>p.12</b>
<b>MARKING</b>			<b>p.13</b>
RULER			<b>p.13</b>
GUIDING LINE			<b>p.13</b>
CHALK STICK			<b>p.14</b>
PEN			<b>p.14</b>
<b>BELT CUTTING</b>			<b>p.15</b>
CUTTER			<b>p.15</b>
FOLD CUT			<b>p.16</b>
SKIVING			<b>p.17</b>
HONE			<b>p.21</b>
PLIERS			<b>p.22</b>
SCREWDRIVER			<b>p.23</b>
EDGE KNIFE			<b>p.25</b>
HEATING BLADE			<b>p.26</b>
MIXING KNIFE			<b>p.26</b>
<b>SURFACE PREPARATION</b>			<b>p.28</b>
POLISHER			<b>p.28</b>
DISK			<b>p.28</b>
METALLIC BRUSH			<b>p.30</b>
TOOL HOLDER			<b>p.31</b>
<b>BONDING</b>			<b>p.32</b>
PAINT BRUSH			<b>p.32</b>
CARD			<b>p.33</b>
<b>FINISHING</b>			<b>p.34</b>
ROLLER			<b>p.34</b>
KNURLED ROLLER			<b>p.35</b>
ACTING ROLLER			<b>p.35</b>
HAMMER			<b>p.36</b>
<b>PUNCH</b>			<b>p.38</b>
PUNCH			<b>p.38</b>
<b>HOT VULCANISATION FOR FABRIC CORD BELT</b>			<b>Page</b>
<b>STORAGE</b>			<b>p.5</b>
VULCANISER'S TOOLKIT			<b>p.5</b>
STORAGE BOX			<b>p.7</b>
<b>SECURITY</b>			<b>p.8</b>
PPE			<b>p.8</b>
<b>MEASUREMENT</b>			<b>p.9</b>
TRIPLE DECAMETER			<b>p.9</b>
ODOMETER			<b>p.9</b>
PIN			<b>p.9</b>
DUROMETER			<b>p.9</b>
THERMOMETER			<b>p.10</b>
TRIPLEMETER			<b>p.10</b>
<b>BELT POSITIONING</b>			<b>p.11</b>
BELT CLAMP			<b>p.11</b>
WINCH			<b>p.12</b>
HOIST			<b>p.12</b>
CLAMP			<b>p.12</b>
<b>MARKING</b>			<b>p.13</b>
RULER			<b>p.13</b>
GUIDING LINE			<b>p.13</b>
CHALK STICK			<b>p.14</b>
PEN			<b>p.14</b>
<b>BELT CUTTING</b>			<b>p.15</b>
CUTTER			<b>p.15</b>
FOLD CUT			<b>p.16</b>
SKIVING			<b>p.17</b>
HONE			<b>p.21</b>

PLIERS	p.22
EDGE KNIFE	p.25
HEATING BLADE	p.26
BUTCHER KNIFE	p.26
MIXING KNIFE	p.26
SCISSORS	p.27
<b>SURFACE PREPARATION</b>	<b>p.28</b>
POLISHER	p.28
DISK	p.28
METALLIC BRUSH	p.30
TOOL HOLDER	p.31
<b>BONDING</b>	<b>p.32</b>
PAINT BRUSH	p.32
CARD	p.33
<b>FINISHING</b>	<b>p.34</b>
ROLLER	p.34
PIN ROLLER	p.34
KNURLED ROLLER	p.35
HAMMER	p.36
<b>GLUING / BAKING</b>	<b>p.37</b>
VULCANIZING FABRIC	p.37
DRAWSTRING WEDGES	p.37
PIN	p.37
<b>PUNCH</b>	<b>p.38</b>
PUNCH	p.38
<b>HOT VULCANISATION FOR STEEL CORD BELT</b>	<b>Page</b>
<b>STORAGE</b>	<b>p.6</b>
VULCANISER'S TOOLKIT	p.6
STORAGE BOX	p.7
<b>SECURITY</b>	<b>p.8</b>
PPE	p.8
<b>MEASUREMENT</b>	<b>p.9</b>
TRIPLE DECAMETER	p.9
ODOMETER	p.9
PIN	p.9
DUROMETER	p.9
THERMOMETER	p.10
TRIPLEMETER	p.10
<b>BELT POSITIONING</b>	<b>p.11</b>
BELT CLAMP	p.11
WINCH	p.12
HOIST	p.12
CLAMP	p.12
<b>MARKING</b>	<b>p.13</b>
RULER	p.13
GUIDING LINE	p.13
CHALK STICK	p.14

PEN	p.14
<b>BELT CUTTING</b>	<b>p.15</b>
CUTTER	p.15
SKIVING	p.17
ANGLE GRINDER	p.21
HONE	p.21
PLIERS	p.22
EDGE KNIFE	p.25
HEATING BLADE	p.26
BUTCHER KNIFE	p.26
MIXING KNIFE	p.26
BOLT CUTTER	p.27
SCISSORS	p.27
<b>SURFACE PREPARATION</b>	<b>p.28</b>
POLISHER	p.28
DISK	p.29
METALLIC BRUSH	p.30
TOOL HOLDER	p.31
<b>BONDING</b>	<b>p.32</b>
PAINT BRUSH	p.32
<b>FINISHING</b>	<b>p.34</b>
ROLLER	p.34
PIN ROLLER	p.34
KNURLED ROLLER	p.35
HAMMER	p.36
<b>GLUING / BAKING</b>	<b>p.37</b>
VULCANIZING FABRIC	p.37
DRAWSTRING WEDGES	p.37
<b>PUNCH</b>	<b>p.38</b>
PUNCH	p.38





INSTALL YOUR MLT PRODUCTS IN A FLASH WITH THE  
**PACK SKIVER MACHINE/SCREWDRIVER**

## VULCANISER'S TOOLKIT



## VULCANISER'S TOOLKIT FOR FABRIC CORD BELT PREPARATION

### VULCANISER BAG FABRIC CORD BELT

- 1 canvas bag
- 1 chack line 30 ml with blue powder
- 1 butcher knife 25 cm
- 1 adjustable cobbler knife
- 1 spare blade for cobbler knife
- 1 double edge curved knife
- 1 trapezoidal metal cutter (3 blades incl.)
- 2x10 spare trapezoidal blades
- 1 square sharpening stone
- 1 regular scissors 26 cm
- 1 heel clamp
- 1 hex key ø 3mm
- 1 round head knife
- 1 hooked awl
- 1 ply separating knife with 2 notches
- 1 flat roller ø 50 x 3 mm
- 1 knurled roller ø 50 x 6 mm
- 1 flat roller ø 50 x 12 mm
- 1 flat roller ø 40 x 40 mm
- 1 replacable pin roller ø 50 x 25 mm
- 1 carding hand brush
- 2 spares for carding hand brush
- 1 box of 12 white chalks
- 1 measuring tape with blocker (5 meters)
- 1 dial micrometer 30 x 50 mm
- 1 powder recharge 115g
- 1 metallic brush
- 1 soft brush
- 1 rubber mallet ø 60 mm
- 5 flat paint brush ø 40 mm
- 1 light protection glasses
- 1 cut resistant gloves
- 1 rubber knee pads (set)
- 1 screwdriver
- 1 round paint brush

Item no.	Origin	HS code	Use
2991613	France	40051000	 



NON CONTRACTUAL PHOTOS

# STORAGE



## VULCANISER'S TOOLKIT FOR STEEL CORD BELT PREPARATION

- 1 canvas bag
- 1 Heat protection gloves - size 10
- 1 Cut resistant gloves
- 1 Rubber Knee Pads (set)
- 1 Triple decameter with steel tape
- 1 Measuring tape with blocker (5m)
- 1 Chack line 30 ml with blue powder
- 1 Dial gauge
- 1 Laser measure from -60° to +500°C
- 2 Box of 12 white chalks
- 2 Silver ball point pen
- 1 Trapezoidal metal cutter (3 blades incl.)
- 1 Spare trapezoidal blades (10 pces)
- 1 Deburring fork length 20cm
- 1 Heel plier, handle 200mm long
- 1 Right handed scissors lenght 26cm
- 1 Cable cutter ø4 to 10mm max
- 1 Butcher knife 30cm carbon steel blade 12''
- 1 Butcher knife 25cm carbon steel blade 9''
- 1 Adjustable cobbler knife with retractable blade with spare blade
- 1 sharpening stone
- 1 Metallic brush
- 2 Circular metallic brush ø150x20mm with 1 flask
- 1 Soft brush
- 5 Flat paint brush 50mm width
- 1 Awl ø 3mm length 10cm
- 1 Flat roller ø40x40mm
- 1 Flat roller ø50x12mm
- 1 Flat roller ø50x3mm
- 1 Replacable pin roller ø50x25mm width
- 1 Knurled roller ø50x4mm
- 1 Knurled roller ø50x6mm

Item no.	Origin	HS code	Use
2999661	France	61161020	



Item no.	Designation	Origin	HS code	Use
2991161	Canvas bag	Asia	42021299	

## STORAGE BOX



Item no.	Designation	Origin	HS code	Use
2991734	Mobile storage box 113 liters with lock system	China	94032080	  

# SECURITY

## PPE



2991112



2991585



2991586



2991590

Item no.	Designation	Origin	HS code	Use
2991112	Heat protection gloves - size 10	China	61161080	
2991585	Breathing mask for gases and vapours. Supplied without cartridge	China	90200010	
2991586	Gas and vapour filter cartridge for mask	China	90200090	
2991590	On-site helmet with adjustable clip	China	61161020	
2999649	Yellow safety jacket	China	61161020	



2991181

Light protection glasses

Origin

HS code

Taiwan

90049010



2991526

Cut resistant gloves

Origin

HS code

China

61161020



2991583

Rubber Knee Pads (set)

Origin

HS code

Germany

40151100

# MEASUREMENT

## TRIPLE DECAMETER



Item no.	Designation	Origin	HS code	Use
2991140	Triple decameter with steel tape	China	90178010	  

## ODOMETER

Item no.	Designation	Origin	HS code	Use
2991215	Odometer reading 9999.99 meter ø 320 mm and reset	Germany	90292038	  

## PIN



2991548

Item no.	Designation	Origin	HS code	Use
2991548	Dial gauge 30 x 50 mm	Italy	90172039	  

## DUROMETER



2991020

Item no.	Designation	Origin	HS code	Use
2991020	Shoremeter - hardness measuring (Shore A)	China	90248000	  

NON CONTRACTUAL PHOTOS

# MEASUREMENT

## THERMOMETER



2991111

Item no.	Designation	Origin	HS code	Use
2991109	Mercury glass thermometer ø 6 mm x length 170 mm? checking temperature 60 to 180°C	France	90251180	
2991111	Thermometer gauge (2 pieces) checking temperature 20 to 200°C ø 6 mm x length 170 mm delivered in a plastic protect box	Germany	90251900	
2991113	Laser measure from -60° to +500°C	China	40101200	

## TRIPLEMETER



2991456

Item no.	Designation	Origin	HS code	Use
2991456	Measuring tape with blocker (5 meters)	Thailand	90178010	

# BELT POSITIONING

## BELT CLAMP



Item no.	Designation	Origin	HS code	Use
2991121	Single hook for belt clamps	France	82032000	  
2991562	Reinforced aluminium profile anti-sliding belt clamps with 2 self-tightening hooks and 1 hex key 14, requires 2 clamps to tension both belt sides, belt width 800 mm	France	82057000	  
2991563	Reinforced aluminium profile anti-sliding belt clamps with 2 self-tightening hooks and 1 hex key 14, requires 2 clamps to tension both belt sides, belt width 1000 mm	France	82057000	  
2991564	Reinforced aluminium profile anti-sliding belt clamps with 2 self-tightening hooks and 1 hex key 14, requires 2 clamps to tension both belt sides, belt width 1200 mm	France	82057000	  
2991565	Reinforced aluminium profile anti-sliding belt clamps with 2 self-tightening hooks and 1 hex key 14, requires 2 clamps to tension both belt sides, belt width 1400 mm	France	82057000	  
2991566	Reinforced aluminium profile anti-sliding belt clamps with 2 self-tightening hooks and 1 hex key 14, requires 2 clamps to tension both belt sides, belt width 1600 mm	France	82057000	  
2991567	Reinforced aluminium profile anti-sliding belt clamps with 2 self-tightening hooks and 1 hex key 14, requires 2 clamps to tension both belt sides, belt width 1800 mm	France	82057000	  
2991568	Reinforced aluminium profile anti-sliding belt clamps with 2 self-tightening hooks and 1 hex key 14, requires 2 clamps to tension both belt sides, belt width 2000 mm	France	82057000	  
2991678	Spare hex key 14 mm	China	82041100	  



NON CONTRACTUAL PHOTOS

# BELT POSITIONING

## WINCH



Item no.	Designation	Origin	HS code	Use
2991440	Cable winch 300 kg with 12 meter cable	Korea	84253100	
2991769	Optional winch conversion accessories from 300 kg to 600 kg with 40 meter cable	France	73129000	
2991479	Lever winch for belt handling 800 kg with 2 hooks + cable ø 5 mm x 3,5 ml	China	84253100	

## HOIST



Item no.	Designation	Origin	HS code	Use
2991133	Hand winch with lever 1600 daN with 20 m cable ø 11,5 mm	Spain	73182300	
2991134	Hand winch with lever 800 daN with 20 m cable ø 8,3 mm	Spain	61161020	
2991169	Hand winch chain 1500 daN with 5,5 meters chain	China	73182300	
2999652	Hand winch chain 250 daN with 5,5 meters chain	France	84672985	

## CLAMP



Item no.	Designation	Origin	HS code	Use
2991013	Clamp with pump 400 mm	Spain	82057000	
2991547	Automatic screw clamp 200 mm with rack and pinion	China	82057000	

## RULER



2991045



2991665

2991146



2991580

Item no.	Designation	Origin	HS code	Use
2991045	Set square length 500 mm	Italy	82055910	
2991146	Tracing ruler made of stainless steel 1000 x 30 mm	China	90178010	
2991580	Set square 300x180 mm	China	90172039	
2991665	Safety cutting rules 105 cm	China	90178010	
2999655	Printed scotch tape for cutting 80 x 20 mm saw teeth for preparation of pvc/pu tape bonding (100 ml)	France	61161020	

## GUIDING LINE



2991168

Item no.	Designation	Origin	HS code	Use
2991034	Chack line 30 ml with blue powder	China	90172039	
2991168	Blue powder 115 gr	France	25174900	

# MARKING

## CHALK STICK



Item no.	Designation	Origin	HS code	Use
2991033	Box of 12 white chalks	United States	96099090	

## PEN



2991142	
White ink soft pen 8 ml	
Origin	HS code
Germany	96082000



2991143	
Silver ball point pen	
Origin	HS code
France	96081092



2991637	
White grease pencil with sharpener string	
Origin	HS code
Korea	96099090



2991664	
Silver ball point pen (high quality)	
Origin	HS code
United States	96081010

NON CONTRACTUAL PHOTOS

# BELT CUTTING

## CUTTER






**2991012**

Metal cutter 18 mm with security screw lock

Origin	HS code
China	82119300






**2991023**

Deburring fork length 20 cm

Origin	HS code
France	82055980






**2991043**

Round head knife blade length 10 cm

Origin	HS code
Germany	82119200






**2991155**

Long cutter blade 18 mm (10 pieces)

Origin	HS code
France	82081000






**2991287**

Trapezoidal metal cutter (3 blades incl.)

Origin	HS code
China	82089000






**2991156**

Long cutter blade 18 mm (100 pieces)

Origin	HS code
China	82081000






**2991288**

Spare trapezoidal blades (10 pieces)

Origin	HS code
France	82081000






**2991289**

Spare trapezoidal blades (100 pieces)

Origin	HS code
United Kingdom	82081000






**2991384**

Trapezoidal metal cutter blade (10 pieces) for reference 2991287

Origin	HS code
China	82081000

NON CONTRACTUAL PHOTOS

# BELT CUTTING

## Manual sawtooth preparation tools for PVC and PU belts only.



2991434



2991433



2999655

Item no.	Designation	Origin	HS code	Use
2991434	Manual sawtooth cutting tool with 82 mm blade included, supplied with nylon mallet. Tool with safety handle	France	82119300	
2991433	Spare blade for manual sawtooth cutting tool 82 mm	France	84669280	
2999655	Printed scotch tape for cutting 80 x 20 mm saw teeth for preparation of pvc/pu tape bonding (100 ml)	France	61161020	

## FOLD CUT



2991237



2991630

Item no.	Designation	Origin	HS code	Use
2991152	Hooked awl knife	France	82054000	
2991237	Ply separating knife with 2 notches	Germany	82119200	
2991630	Pruning knife 1 ply (5,5 cm)	France	82119200	

## SKIVING



### 220 V CORDED SCREWDRIVER/SKIVER PACK

FULL PACK SKIVER MACHINE/ SCREW DRIVER BELTSKIVING :

- Electrical belt skiver with cable 220 V (without blade)
- Blade for skiver for belt center, 40 x 2 mm
- Blade for skiver for belt center, 40 x 3 mm
- Blade for skiver for belt center, 40 x 4 mm
- Blade for skiver for belt center, 40 x 6 mm
- Blade for skiver for belt center, 40 x 8 mm
- Blade for skiver for belt center, 40 x 10 mm
- Cable screwdriver/driver 220-volt with 4 metres cable
- Trapezoidal sharpening stone (15 x 10 x 150 mm) supply with -plastic box

- Screwdriver bit PZ 2, dlc treated 25 mm
- Screwdriver bit PZ 3, dlc treated 25 mm
- Bit holder with magnet with locking system for the bits
- Silver ball point pen (high quality)
- Triple meter with steel tape
- Metal cutter 18 mm with security screw lock
- Long cutter blade 18 mm (10 pieces)
- Cut resistant gloves
- Light protection glasses
- Blade for skiver for cut belt HSS ø 80 x 0,5 mm with fine teeth for precise cutting

Item no.	Origin	HS code	Use
2999660	France	84672985	



### CORDLESS SCREWDRIVER/SKIVER PACK (WITHOUT TOOLS)

Skiver multi-tool kit including :

- 18-volt cordless skiver
- 18-volt cordless screwdriver
- 2 x 4 Ah batteries

- 1 quick charger
- 1 FEIN special quick bit holder
- 1 sharpening stone
- 1 storage box

N°Article	Origine	HS code	Usage
2991686	Germany	84672985	  

NON CONTRACTUAL PHOTOS

# BELT CUTTING



## COMPLETE CORDLESS SCREWDRIVER/SKIVER PACK (WITH TOOLS & PPE)

Full pack multitool - belt skiver & powered screwdriver, including:

- 1 cordless belt skiver 18 volts
- 1 cordless powered screwdriver 18 volts
- 6 blades for skiver for belt center sharp : 2, 3, 4, 6, 8, 10 mm
- 1 trapezoidal sharpening stone
- 1 blade for skiver for cut belt HSS ø 80 mm
- 1 driving bit PZ 2 & PZ 3
- 1 bit holder with magnet with locking system

- 1 silver ball point pen
- 1 measuring tape with blocker (5 meters)
- 1 quick charger
- 2 batteries 4 Ah
- 1 metal cutter
- 1 long cutter blade 18 mm - 10 pieces
- 1 cut resistant gloves
- 1 light protection glasses
- 1 storage box

Item no.	Origin	HS code	Use
2991688	Germany	84672985	



## SCREWDRIVER/SKIVER PACK WITHOUT BATTERY AND CHARGER

Full pack multitool - belt skiver & powered screwdriver, including:

- 1 cordless belt skiver 18 volts
- 1 cordless powered screwdriver 18 volts
- 6 blades for skiver for belt center sharp : 2, 3, 4, 6, 8, 10 mm
- 1 trapezoidal sharpening stone
- 1 blade for skiver for cut belt HSS ø 80 mm
- 1 driving bit PZ 2 & PZ 3

- 1 bit holder with magnet with locking system
- 1 silver ball point pen
- 1 measuring tape with blocker (5 meters)
- 1 metal cutter
- 1 long cutter blade 18 mm - 10 pieces
- 1 cut resistant gloves
- 1 light protection glasses
- 1 storage box

Item no.	Origin	HS code	Use
2991771	Germany	84672985	

NON CONTRACTUAL PHOTOS

# BELT CUTTING



2991175



2991685

Item no.	Designation	Origin	HS code	Use
2991175	Electrical belt skiver with cable 220 V (without blade)	Germany	84672985	
2991356	Electrical belt skiver with cable 110 V (without blade)	Germany	84672985	
2991685	Belt skiver cordless 18 v 2 batteries 4 Ah 1 quick charger	Germany	40101200	



2991406

Blade for skiver for belt center, hardness 58 hrc +/- 2, width x depth: 40 x 2 mm

Origin	HS code
France	84669280



2991726

Blade for skiver for belt center, hardness 58 hrc +/- 2, width x depth: 40 x 3 mm

Origin	HS code
France	84669280



2991405

Blade for skiver for belt center, hardness 58 hrc +/- 2, width x depth: 40 x 4 mm

Origin	HS code
France	84669280



2991404

Blade for skiver for belt center, hardness 58 hrc +/- 2, width x depth: 40 x 6 mm

Origin	HS code
France	84669280



2991482

Blade for skiver for belt center, hardness 58 hrc +/- 2, width x depth: 40 x 8 mm

Origin	HS code
France	84669280



2991478

Blade for skiver for belt center, hardness 58 hrc +/- 2, width x depth: 40 x 10 mm

Origin	HS code
France	84669280

# BELT CUTTING



**2991766**

Blade for skiver for belt center, hardness 58 hrc +/- 2, width x depth: 40 x 12 mm

Origin	HS code
France	84669280



**2991767**

Blade for skiver for belt center, hardness 58 hrc +/- 2, width x depth: 40 x 14 mm

Origin	HS code
France	84669280



**2991702**

Blade for skiver for cut belt HSS  $\varnothing$  80 x 0,5 mm with fine teeth for precise cutting

Origin	HS code
Germany	82023100



**2991447**

Straight blade for skiver, width 45 mm, straight version, blade hardness 62 hrc +/- 2

Origin	HS code
Germany	84669280



**2991272**

Straight blade for skiver, width 45 mm, swerved version, blade hardness 62 hrc +/- 2, 45 mm wide

Origin	HS code
Germany	84669280

# BELT CUTTING

## ANGLE GRINDER



2991466

Item no.	Designation	Origin	HS code	Use
2991466	Grinder Bosch gws 24-230 professionnall ø 230 mm ; 6 500 tr/mn ; 2400 w, weight: 5.5 kg with tightening nut	Germany	84672951	
2991474	Coal contact for grinding machine reference 2991466 (set)	Italy	61161020	

## HONE



**2991015**

Square sharpening stone (30 x 30 x 300 mm)

**Origin**

Spain

**HS code**

68043000



**2991327**

Trapezoidal sharpening stone (15 x 10 x 150 mm) supply with plastic box

**Origin**

Germany

**HS code**

68042230

# BELT CUTTING

## PLIERS



2991412



2991030



2991173



2991336



2991616

Item no.	Designation	Origin	HS code	Use
2991041	Spreader with 4 vice pliers for 1 meter width	France	82032000	
2991412	Heel plier, handle 200 mm long	France	82055980	
2991030	Heel clamp 230 mm	Germany	82032000	
2991365	Clamp up to 1000 kg (opening 22 mm x depth 45 mm)	France	82032000	
2991173	Clamp up to 1000 kg (opening 33 mm x depth 85 mm)	France	74082200	
2991336	Belt handling clamp for belt thickness 12 mm max	Germany	82055980	
2991616	Self-grip wrench 250 mm long	Taiwan	82032000	
2991014	Self-grip wrench 250 mm long with attachment link	France	82032000	



2991037

Cable/pin cutter  $\phi$  btw 2.5 to 5 mm max - 190 mm length

Origin

HS code

Switzerland

82033000



2991588

Plier handle 200 mm long

Origin

HS code

India

82032000



2991219

Wide plier jaw width 70 mm

Origin

HS code

France

82055980

# BELT CUTTING



**2991212**

Heel clamp 265 mm

Origin	HS code
Germany	82032000

## SCREWDRIVER



### FEIN ASCM18 DRILL AND SCREWDRIVER (WITH BATTERY AND CHARGER)

Powered screwdriver drill - cordless tool 18 v (with battery and charger)

Item no.	Origin	HS code	Use
2991683	Germany	84672985	

# BELT CUTTING



## 220 V CORDED SCREWDRIVER

Cable screwdriver/driver 220-volt with 4 metres cable  
0 - 2500 Tr/min  
- magnetic bit holder

- depth stop  
- belt clip

Item no.	Origin	HS code	Use
2991764	Germany	84672985	

# BELT CUTTING



2991256



2991302



2991687



2999664

Item no.	Designation	Origin	HS code	Use
2991256	Screw driver bosch cordless 18V ve-2li, equipped with 2 batteries li-ion 4 Ah, weight: 1,2 kg (tightening torque soft/tight 20/80 N/m), fitted to MS™ fasteners and Super-Screw®	Malaysia	84672110	
2991302	Bit holder with magnet with locking system for the bits	Taiwan	84661020	
2991687	Special quick bit holder	Germany	84661038	
2991744	1 quick charger with 2 batteries 4 Ah	Poland	85076000	
2999658	Driving bit PZ 3, length 50 mm	France	61161020	
2999662	Driving bit PZ 2, length 50 mm	France	61161020	
2999663	Driving bit PZ 2, length 50 mm (10 units)	France	39269097	
2999664	Driving bit PZ 3, length 50 mm (10 units)	France	39269097	

## EDGE KNIFE



2991021

Item no.	Designation	Origin	HS code	Use
2991021	Double edge curved knife 15 cm	Germany	82119200	  
2991029	Double edge knife blade length 20 cm	France	82119200	  

NON CONTRACTUAL PHOTOS

# BELT CUTTING

## HEATING BLADE



2991401

Item no.	Designation	Origin	HS code	Use
2991401	Rubber cut 220 v, 370 w, for raw rubber (included box and 2 + 2 blades)	France	82055980	
2991402	Heating blade for rubber cut 35 mm made for skiving machine reference 2991401	France	82089000	

## BUTCHER KNIFE



2991007



2991570

Item no.	Designation	Origin	HS code	Use
2991007	Butcher knife with 31 cm stainless steel blade	France	82119200	
2991010	Butcher knife 25 cm carbon steel blade 9 inch	France	82119200	
2991570	Mixed knife 150 mm / 6''	Germany	82119200	

## MIXING KNIFE



2991047

Adjustable cobbler knife with retractable blade

Origin	HS code
Germany	82119200



2991048

Spare blade for cobbler knife

Origin	HS code
Germany	82119200

# BELT CUTTING

## BOLT CUTTER



2991171



2991172

Item no.	Designation	Origin	HS code	Use
2991171	Cable cutter $\varnothing$ btw 4 to 10 mm max - 324 mm length	Switzerland	82033000	
2991172	Cable cutter $\varnothing$ btw 4 to 10 mm max - 500 mm length	Switzerland	82033000	
2991454	Cable/pin cutter $\varnothing$ 16 mm (590 mm long)	Switzerland	82033000	

## SCISSORS



2991280

Item no.	Designation	Origin	HS code	Use
2991280	Right handed scissors lenght 26 cm	Germany	82130000	
2991281	Left handed scissors lenght 26 cm	Germany	82130000	

# SURFACE PREPARATION

## POLISHER



2991051

Item no.	Designation	Origin	HS code	Use
2991051	Polisher Bosch with potentiometer 1400 w 750-3000 tr/min, with soft plate ø 170 mm	France	84672985	

## DISK



2991238



2991241

Item no.	Designation	Origin	HS code	Use
2991238	Roughing carbide disc ø 125 x 2 mm grain 16 (copper)	Denmark	82079078	
2991239	Roughing carbide disc ø 125 x 2 mm grain 36 (copper)	Denmark	82079078	
2991241	Roughing carbide disc ø 180 x 2 mm grain 16 (copper)	Denmark	82079078	
2991242	Roughing carbide disc ø 180 x 2 mm grain 36 (copper)	Denmark	82079078	
2991244	Roughing carbide disc ø 125 x 2 mm grain 24 (copper)	Denmark	82079078	
2991245	Roughing carbide disc ø 180 x 2 mm grain 24 (copper)	Denmark	82079078	



**2991183**

Semi rigid roughing disc ø 180 mm grain 24 for rubber

**Origin**

**HS code**

Turkey

68053000



**2991184**

Semi rigid roughing disc ø 180 mm grain 36 for rubber

**Origin**

**HS code**

Turkey

68053000

# SURFACE PREPARATION



2991006



2991058



2991059

Item no.	Designation	Origin	HS code	Use
2991006	Abrasive disk ø 180 mm grain 36	Germany	68053000	
2991058	Abrasive disk ø 125 mm grain 24	Germany	68053000	
2991059	Abrasive disk ø 125 mm grain 36	Germany	68053000	
2991060	Abrasive disk ø 180 mm grain 24	Germany	68053000	
2991068	Abrasive disk ø 125 mm grain 16	Germany	68053000	
2991069	Abrasive disk ø 180 mm grain 16	Germany	68053000	
2991275	Semi rigid roughing disc ø180 mm grain 16 for rubber	Turkey	68053000	
2991284	Semi rigid roughing disc ø 125 mm grain 16 for rubber	Turkey	68053000	
2991285	Semi rigid roughing disc ø 125 mm grain 24 for rubber	Turkey	68053000	
2991286	Semi rigid roughing disc ø 125 mm grain 36 for rubber	Germany	68053000	
2991350	Semi rigid roughing disc ø 180 mm grain 24 for metal	Turkey	68053000	
2991351	Semi rigid roughing disc ø 180 mm grain 36 for metal	Germany	68053000	
2991468	Strimming disk ø 230 x 7 mm	Spain	68042218	
2991470	Cutting up disk ø 230 x 1,9 mm	Spain	68053000	

# SURFACE PREPARATION

## METALLIC BRUSH



2991004



2991265

Item no.	Designation	Origin	HS code	Use
<b>2991004</b>	Circular metallic brush $\varnothing$ 150x20 mm, wire $\varnothing$ 0,3 mm	Austria	96035000	
<b>2991028</b>	Metallic brush	China	96035000	
<b>2991265</b>	Concave metallic brush $\varnothing$ 100 mm	United Kingdom	96035000	
<b>2991442</b>	Spare carding hand brush, width: 23 mm	Germany	84679900	
<b>2999640</b>	Electric carding machine 220 V, supplied with 11 and 23 mm card holder + 2 cards (cleans, blasts, roughens)	Germany	84672951	
<b>2991009</b>	Soft brush	France	76151010	

# SURFACE PREPARATION

## TOOL HOLDER



2991257



2991299

Item no.	Designation	Origin	HS code	Use
2991055	Circular metallic brush flask	Germany	84661020	  
2991057	Soft plate ø 170 mm for polisher Bosch	Switzerland	84661038	  
2991299	Plate ø 125 mm m14 for polisher Bosch	Germany	84661038	  

# BONDING

## PAINT BRUSH



2991032

Item no.	Designation	Origin	HS code	Use
2991032	Flat paint brush 60 mm width	China	96034010	
2991138	Flat paint brush 50 mm width	China	96034010	



2991186

Paint brush ø 30 mm

**Origin**

China

**HS code**

96034010



2991689

Paint brush ø 40 mm

**Origin**

France

**HS code**

96034010


## CARD



**2991144**

Complete carding hand brush

Origin	HS code
Germany	84483100



**2991145**

Spare carding hand brush

Origin	HS code
Germany	84483100

# FINISHING

## ROLLER



2991213



2991510



2991511



2991512

Item no.	Designation	Origin	HS code	Use
2991213	Flat roller on bearing ø 40 x 40 mm	France	82055980	
2991510	Flat roller on bearing ø 45 x 3 mm	France	82055980	
2991511	Flat roller on bearing ø 50 x 12 mm	France	82055980	
2991512	Flat roller on bearing ø 50 x 6 mm	France	82055980	

## PIN ROLLER



2991151



2991050



2991291

Item no.	Designation	Origin	HS code	Use
2991050	Awl ø 3 mm length 10 cm	France	82051000	
2991151	Replacable pin roller on bearing ø 50 x 25 mm width, 5 pins rows	Italy	82079099	
2991291	Replacable pin roller on bearing ø 50 x 45 mm width, 13 pins rows	Italy	82079099	

## KNURLED ROLLER



2991148

2991321

2991532

Item no.	Designation	Origin	HS code	Use
2991148	Knurled roller on bearing $\varnothing$ 50 x 6 mm	United States	82055980	  
2991321	Knurled roller on bearing $\varnothing$ 50 x 4 mm	Romania	82073090	  
2991532	Straight checkered roller on bearing $\varnothing$ 50 x 12 mm	United States	82055980	  

## ACTING ROLLER



2991062

Item no.	Designation	Origin	HS code	Use
2991062	Double acting rollers 400 mm for belt up to 800 mm	France	82055980	
2991063	Double acting rollers 600 mm for belt up to 1200 mm	France	82055980	
2991064	Double acting rollers 800 mm for belt up to 1600 mm	France	82055980	
2991065	Double acting rollers 1000 mm for belt up to 2000 mm	France	82055980	

# FINISHING

## HAMMER



2991296



2991435

Item no.	Designation	Origin	HS code	Use
2991296	Nylon mallet ø 35 mm (450 gr)	Taiwan	82052000	 
2991435	Anti-rebound mallet with polyamide head ø 60 mm. 1750 g, steel handle	Taiwan	39269097	  
2991557	Spare head ø 35 mm for mallet nylon	Germany	39079910	 

# GLUING / BAKING

## VULCANIZING FABRIC



2991414



2991735

Item no.	Designation	Origin	HS code	Use
2991267	Meter of white silicone paper, 1 meter wide	Germany	48103290	
2991414	Black siliconised vulcanising fabric (ml). Width 1550 mm, Thickness 0.3 mm	France	59039099	
2991735	Red silicone vulcanising fabric (ml), lightly grained on both sides, width 1450 mm, thickness 1.2 mm	France	40101200	

## DRAWSTRING WEDGES



2991108

Item no.	Designation	Origin	HS code	Use
2991108	Brace of wedges 1200 x 50 mm (both) chain ø 6 mm 1800 mm length	France	82057000	
2991740	Brace of wedges 2000 x 80 mm (both) chain ø 8 mm 2700 mm length	France	61161020	

## PIN

Item no.	Designation	Origin	HS code	Use
2991154	Torque spanner for mechanical presses with 36 mm sockets	France	82041100	

NON CONTRACTUAL PHOTOS

# PUNCH

## PUNCH



2991416



2991426



2991550

Item no.	Designation	Origin	HS code	Use
2991416	Hammer punch ø 4 mm	France	82034000	
2991418	Hammer punch ø 6 mm	France	82034000	
2991420	Hammer punch ø 8 mm	France	82034000	
2991422	Hammer punch ø 10 mm	France	82034000	
2991424	Hammer punch ø 12 mm	France	82034000	
2991426	Hammer punch ø 14 mm	France	82034000	
2991453	Hammer punch ø 16 mm	France	82034000	
2991529	Hammer punch ø 18 mm	France	82034000	
2991530	Hammer punch ø 20 mm	France	82034000	
2991549	Hammer punch ø 22 mm	France	82034000	
2991550	Hammer punch ø 24 mm	France	82034000	
2999422	Screwdriver punch ø 10 mm ø 12 x 25 mm for quick drill chuck 13 mm	France	82034000	
2999424	Screwdriver punch ø 12 mm ø 12 x 25 mm for quick drill chuck 13 mm	France	82034000	
2999426	Screwdriver punch ø 14 mm ø 12 x 25 mm for quick drill chuck 13 mm	France	82034000	
2999453	Screwdriver punch ø 16 mm ø 12 x 25 mm for quick drill chuck 13 mm	France	82034000	
2999529	Screwdriver punch ø 18 mm ø 12 x 25 mm for quick drill chuck 13 mm	France	82034000	
2999530	Screwdriver punch ø 20 mm ø 12 x 25 mm for quick drill chuck 13 mm	France	82034000	
2999549	Screwdriver punch ø 22 mm ø 12 x 25 mm for quick drill chuck 13 mm	France	82034000	
2999550	Screwdriver punch ø 24 mm ø 12 x 25 mm for quick drill chuck 13 mm	France	82034000	



# VULCANISER'S TOOLKIT

all the tools you need  
for successful splicing





# TOOLS

PATENTED PRODUCT  
MADE IN FRANCE

**MLT Conveyor Solutions Expert**  
More than 70 years of innovation  
at your service



Distributor logo



[www.mltgroup-conveyor.com](http://www.mltgroup-conveyor.com) - [info@mltgroup-conveyor.com](mailto:info@mltgroup-conveyor.com)